

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR .	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/690,544	10/23/2003	Wim Henderickx	Q77528	6418
23373 SUGHRUE MI	7590 06/12/2007 ION. PLLC	EXAMINER		
2100 PENNSY	LVANIA AVENUE, N.W	SONI, KETAN S		
SUITE 800 WASHINGTO	N. DC 20037		ART UNIT PAPER NUMBER	
	· · · · · · · · · · · · · · · · · · ·		2616	
			MAIL DATE	DELIVERY MODE
•			06/12/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•		,		-2
		Application No.	Applicant(s)	· ·
,		10/690,544	HENDERICKX ET AL.	
Office Action Sum	mary	Examiner	Art Unit	
		Ketan Soni	2616	
The MAILING DATE of this Period for Reply	communication app	ears on the cover sheet v	vith the correspondence addres	S
A SHORTENED STATUTORY P	ERIOD FOR REPLY	IS SET TO EXPIRE 31	MONTH(S) OR THIRTY (30) D	AYS
WHICHEVER IS LONGER, FRO - Extensions of time may be available under the after SIX (6) MONTHS from the mailing date - If NO period for reply is specified above, the - Failure to reply within the set or extended put any reply received by the Office later than the	M THE MAILING DA he provisions of 37 CFR 1.13 e of this communication. maximum statutory period we eriod for reply will, by statute, hree months after the mailing	TE OF THIS COMMUN 6(a). In no event, however, may a fill apply and will expire SIX (6) MO cause the application to become	ICATION. I reply be timely filed INTHS from the mailing date of this community ABANDONED (35 U.S.C. § 133).	,
earned patent term adjustment. See 37 CF	R 1.704(b).		•	
Status				
1) Responsive to communica	· · ·			
2a) ☐ This action is FINAL.	, 	action is non-final.	ttora processition on to the me	vrito in
			tters, prosecution as to the me	1115 15
closed in accordance with	the practice under E.	x parte Quayle, 1955 C.	D. 11, 455 O.G. 215.	•
Disposition of Claims		ı	•	
4)⊠ Claim(s) <u>1-9</u> is/are pending	g in the application.			
4a) Of the above claim(s) _	is/are withdraw	n from consideration.	·	
5) Claim(s) is/are allow	ved.			
6)⊠ Claim(s) <u>1-9</u> is/are rejected	d.			
7) Claim(s) is/are obje	cted to.	•	,	
8) Claim(s) are subjec	t to restriction and/or	election requirement.	•	
Application Papers				
9) The specification is objecte	d to by the Examine	r .		
10) The drawing(s) filed on	•	•	by the Examiner.	
Applicant may not request that	•			
			g(s) is objected to. See 37 CFR 1	.121(d).
11)☐ The oath or declaration is o	bjected to by the Ex	aminer. Note the attach	ed Office Action or form PTO-1	152.
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of	of a claim for foreign	priority under 35 H S C	8 119(a)-(d) or (f)	
a) ☐ All b) ☐ Some * c) ☐ N		priority under 50 0.0.0.	3 1 10(0)-(0) 01 (1).	
		s have been received.		
	, ,	s have been received in	Application No.	
·			n received in this National Sta	ae
•		(PCT Rule 17.2(a)).		
* See the attached detailed O			t received.	
·		•		
•			·	•
Attachment(s)				
1) Notice of References Cited (PTO-892)		4) Thterview	Summary (PTO-413)	
2) Notice of Draftsperson's Patent Drawin		Paper No	o(s)/Mail Date	
3) Information Disclosure Statement(s) (P Paper No(s)/Mail Date 10/23/2003.	TO/SB/08)	5) Notice of Other:	Informal Patent Application	

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement submitted on Oct 23, 2003 has been considered by the Examiner and made of record in the application file.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims **1-9** are rejected under 35 U.S.C. 102(e) as being anticipated by DiBiasio et al. (US Patent # 7225271 B1).

Consider **claim: 1**, DiBiasio et al. discloses a telecommunication router (Fig 4, 5) connected to a termination link and comprising a processor (Fig 5 @ 510, Queue Selector/Scheduler) adapted to handle packets of data received from said link (see Fig

4, 5), characterized in that said telecommunication router further comprises a plurality of queues adapted to store packets of data (figure: 5 @ 506) prior to be transferred to said processor, and a packet classifier (fig 5 @ 502) adapted to receive packets of data from said termination link, to classify the received packets according to predetermined types (Priority types, column: 7, lines: 6-20; and flow diagram: 6B), and to forward classified packets towards one queue out of said plurality, said one queue being selected according to the type of the forwarded packet (realtime packets or non real-time packets), in that each of said predetermined types (data type i.e. voice or data) is associated to a predetermined priority (Priority relates to data type),

and in that said processor is adapted to retrieve packets of data from the queues of said plurality according to predetermined priority rules (The top level in the hierarchy preferably uses a priority queuing algorithm with the PQ 504 being served at the highest priority while the reserved queues 506 and the default queue 508 are served at the bottom or lowest priority, column: 7, lines: 27-30).

Consider claim: 2, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in said processor is adapted to retrieve packets of data from a queue associated to a relative high predetermined priority prior to retrieve packets of data from another queue associated to a relatively lower predetermined priority. (Queue selector/scheduler 510 is preferably a multi, level hierarchical

scheduler. The top level in the hierarchy preferably uses a Priority queuing algorithm with the PQ 504 being served at the highest priority while the reserved queues 506 and the default queue 508 are served at the bottom or lowest priority, column: 7, lines: 26-31).

Consider claim: 3, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that said packet classifier is adapted to estimate said predetermined priority by analyzing the content of a packet and to forward the analyzed packet to the queue corresponding to the estimated priority (In particular, each reserved queue 506a d and the default queue 508 is assigned its own weight based on packets content, and packets are drained from the reserved and default queues 506, 508 based on the assigned weights, column: 7, lines: 36-40).

Consider **claim: 4**, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that each queue of said plurality of queues is controlled by a queue manager adapted to discard packets coming from said packet classifier when a predetermined threshold filling level of the queue is reached (The admission control entity 430, using the contents of the flowspec spec object 806 of the Resv message 800, then determines whether sufficient available bandwidth also exists at the interface, column: 10, lines: 56-59; additionally if there is not enough bandwidth there is or insufficient available bandwidth, the RSVP engine 424 directs its message generator 426 to formulate a reservation error (ResvErr) message, which is then sent

back toward the destination/receiving entity, i.e., voice agent 204, as indicated at block 634, column: 11, lines: 42-45).

Consider **claim**: **5**, and as applied to claim: 4 above, DiBiasio et al. discloses the telecommunication router, characterized in that each queue of said plurality of queues may have a different predetermined threshold filling level (As shown in figure: 6B, step 622, flow analyzer 432 determines whether corresponding traffic carries real time traffic or non real time traffic. The flow analyzer 432 then selects and assigns an appropriate queue and/or queue servicing algorithm or selection strategy to the real-time voice traffic flow and non real time traffic flow, column: 10, lines: 37-40).

Consider **claim: 6**, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that said processor (PROC) is adapted to retrieve packets of data from said queues according to the load of said processor (The admission control entity 430 then determines whether the output interface 406b has sufficient available bandwidth to support the reservation in the same manner as described above. Assuming there is sufficient available bandwidth as well, the RSVP engine 424 then assigns and reserves the resources, as shown in fig: 6C, block: 630 column: 13, lines: 8-12).

Consider **claim: 7**, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that a plurality of termination links (TL) are connected to said packet classifier (As shown in figure: 5, plurality of input packets 514 are connected to classification engine 502).

Consider **claim: 8**, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that a plurality of processors are adapted to retrieve packets of data from said queues. (As shown in figure: 4, pluralities of processors are used for Packet receiver, traffic scheduling, forwarding engine, RSVP engine).

Consider **claim: 9**, and as applied to claim: 1 above, DiBiasio et al. discloses the telecommunication router, characterized in that said packet classifier (CL) is adapted to forward to an output port of said telecommunication router packets that are not intended to said processor (The flow analyzer 432 determines whether the respective values from the flow spec object 806 satisfy the above set of heuristics, as indicated at decision block 622. If they do, the flow analyzer 432 "concludes" that the corresponding traffic flow will be carrying real-time voice traffic, as indicated by block 624. The flow analyzer 432 then selects and assigns an appropriate queue and/or queue servicing algorithm or selection strategy to the real-time voice traffic flow, as indicated at block 626, column: 10, lines: 35-42).

Application/Control Number: 10/690,544

Art Unit: 2616

Page 7

Conclusion

The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.

- □ Lin et al. (U.S. Patent # 7106731 B1) discloses: Router with class of service mapping.
- Olkkonen et al. (U.S. Patent # 6407999 B1) discloses: Method and router in a packet network with priority class.
- □ Elwalid et al. (U.S. Patent # 6353616 B1) discloses: Adaptive processor scheduler and method for reservation protocol message processing
- □ Karri et al. (U.S. Patent # 7212495 B2) discloses: Signaling for reserving a communications path.
- Terrell et al. (U.S. Pub # US 20030210686 A1) discloses: ROUTER AND METHODS USING NETWORK ADDRESSES FOR VIRTUALIZATION
- □ Ma et al. (U.S. Patent # 6798743 B1) discloses: Packet prioritization processing technique for routing traffic in a packet-switched computer network

Tsuchiya et al. (U.S. Pub # 20020090002 A1) discloses: Multicast routing method and an apparatus for routing a multicast packet.

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ketan Soni whose telephone number is (571) 270-1782. The Examiner can normally be reached on Monday-Thursday from 6:30am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Vanderpuye, Kenneth can be reached on 571-272-3078. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Application/Control Number: 10/690,544

Art Unit: 2616

Page 9

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028. If you would like assistance

from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist/customer service whose telephone number is

(571) 272-2600.

Ketan Soni

ks

May 31, 2007.

KENNETHWANDERPUYE
SUPERVISORY PATENT EXAMINER